



TORMAYS



CARGO CONTROL ACCESSORIES

TORMAYS TECHNOLOGY (HEBEI) CO.,LTD



TORMAYS

A factory specializing in
the production of cargo
control fittings



- L-TRACK & E TRACK

- TRACK FITTING

- RATCHETS

- FORGED HOOK

- FLAT HOOK





- WIRE HOOK

- PAN FITTING

- CARGO BAR

- CARGO BAR PAD


- ALUMINUM RAMP




L-TRACK

L-Track, also known as Airline Track, is a lightweight, heavy-duty track made of aluminum.


L-Track allowing the user to both quickly and easily secure cargo at any position along the track.




Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-01	Aluminum	Anodized/Coated	Silver/Black	42	60/100/200/300 or required





Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-02	Aluminum	Anodized/Coated	Silver/Black	34.5	60/100/200/300 or required




Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-03	Aluminum	Anodized/Coated	Silver/Black	45	60/100/200/300 or required




Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-04	Aluminum	Anodized/Coated	Silver/Black	50	60/100/200/300 or required



Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-05	Aluminum	Anodized/Coated	Silver/Black	44	60/100/200/300 or required



Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-06	Aluminum	Anodized/Coated	Silver/Black	100	60/100/200/300 or required



Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-07	Aluminum	Anodized/Coated	Silver/Black	50	60/100/200/300 or required





**BLACK COATED
&
BLACK ANODIZED**




Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-08	Aluminum	Anodized/Coated	Silver/Black	30	60/100/200/300 or required




Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-09	Aluminum	Anodized/Coated	Silver/Black	40	60/100/200/300 or required







Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-11	Aluminum	Anodized/Coated	Silver/Black	34	60/100/200/300 or required




Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-12	Aluminum	Anodized/Coated	Silver/Black	34	60/100/200/300 or required




Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-13	Aluminum	Anodized/Coated	Silver/Black	46	60/100/200/300 or required



Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-14	Aluminum	Anodized/Coated	Silver/Black	46	60/100/200/300 or required



Model	Material	Finish	Color	Width (mm)	Length (cm)
TSLT-15	Aluminum	Anodized/Coated	Silver/Black	65	60/100/200/300 or required



Model	Material	Finish	Color	Width (mm)	Length (cm)
E Track	Steel	Galvanized/Coated	Silver/ Black	127	60/100/200/300 or required

TRACK FITTING



TSSR-1001
Single Stud fitting
1814kgs/4000lbs



TSSR-1002
Single Stud fitting
1814kgs/4000lbs



TSSR-1003
Single Stud fitting
1814kgs/4000lbs



TSSR-1010
Single Stud fitting
1814kgs/4000lbs



TSSR-1011
Single stud fitting with
S hook



TSSR-1012
Single stud fitting with
Anchor Point Kit Bolt



TSSR-1004
Double stud fitting
with Round Ring
2727kgs/6000lbs



TSSR-1005
Double stud fitting
with Pear Ring
2727kgs/6000lbs



TSSR-1006
Double stud fitting
with D Ring
2727kgs/6000lbs



TSSR-1013
E/A Track Fitting with D Ring
2727kgs/6000lbs



TSSR-1014
E/A Track Fitting with O Ring
1500kgs/3300lbs



TSSR-1015
E/A Track Fitting with O Ring
2727kgs/6000lbs



TSSR-1007
Double Stud fitting
2500kgs/5500lbs



TSSR-1008
Double Stud fitting
with large opening
2500kgs/5500lbs



TSSR-1009
Double Stud fitting
assembly



TSSR-1016
Series E/A track fitting



TSSR-1017
Quattro Stud fitting with O ring
2727kgs/6000lbs



TSSR-1018
2" Spring E fitting
2045kgs/4500lbs

TRACK FITTING

TRACK FITTING



TSSR-1019
Double stud fitting



TSSR-1020
E-track Roller Idler Fitting
1360kgs/3000lbs



TSSR-1021
1.5\"/>



TSSR-1022
Double stud fitting



TSSR-1023
Double stud fitting
with Plastic cap



TSSR-1024
Carbon Steel
Double stud fitting



TSSR-1025
Stainless Steel Double
Stud fitting



TSSR-1026
Double Stud fitting
2500kgs/5500lbs



TSSR-1027
Quadruple airline
end fitting

TRACK FITTING



TSSR-1028
Anchor Point for
Airline Fitting



TSSR-1029
Solt nut for L track



TSSR-1030
Rubber cover for L
track



TSSR-1031
Heavy track fitting



TSSR-1032
Single Stud
fitting with hook



TSSR-1033
Double stud
fitting M8*40mm



TSEND-01
Track end cap
Suit for TSLT-03



TSEND-02
Track end cap
Suit for TSLT-04



TSSR-2100
E Buckle Motorcycle
Support Holds Tires

TRACK FITTING



TSSR-1034
E Track Dual Arm
Tool Hook



TSSR-1035
E Track Fitting with
J Hook



TSSR-1036
E Track Fitting with
Heavy J Hook




TSSR-1037
E Track Fitting with
J Hook




TSSR-1038
E Track Dual Arm Tool
Hook with rubber



TSSR-1039
E Track Fitting Tool Hook
with rubber



TSSR-1040
Wood Beam Socket



TSSR-1041
E/A track fitting



TSSR-1042
Wheel Chock

TRACK FITTING



RATCHETS



TSRAT-01



TSRAT-02



TSRAT-03



TSRAT-04



TSRAT-05



TSRAT-06



TSRAT-07



TSRAT-08



TSRAT-09



TSRAT-10



TSRAT-11



TSRAT-12

RATCHETS

MODEL	WIDTH	DESCRIPTION	MINIMUM BREAKING STRENGTH (LBS.)
TSRAT-01	1"	Flat handle ratchet	2000
TSRAT-02	2"	Wide handle ratchet	4400
TSRAT-03	2"	Long wide handle ratchet	6000
TSRAT-04	3"	Standard handle ratchet	12000
TSRAT-05	3"	Long wide with rubber grip handle	18000
TSRAT-06	2"	Standard handle ratchet with Black hand	10000
TSRAT-07	2"	Medium wide handle with chain tail	10000
TSRAT-08	2"	Standard handle ratchet with hook	10000
TSRAT-09	1"	Retractable Auto Ratchet Strap with Hook	2000
TSRAT-10	1"	Retractable Auto Ratchet Strap with S hook	2000
TSRAT-11	2"	Standard handle ratchet with S hook	10000
TSRAT-12	1"	Flat handle ratchet with plastic cap	2000



FORGED HOOK



TSFH-2001
Forged Net Hook
2500kgs/5500lbs



TSFH-2002
Forged Eye Hook
with Triangle Ring,
5000kgs/11000lbs



TSFH-2003
Forged Eye hook
5000kgs/11000lbs



TSFH-2004
Forged Eye hook
3500kgs/7700lbs



TSFH-2005
Forged Eye Twisted
Hook, 3500kgs/7700
lbs



TSFH-2006
Forged Eye hook with D
Ring 3000kgs/6600lbs



TSFH-2007
Forged Eye hook with D
Ring 3000kgs/6600lbs



TSFH-2008
2" Forged Snap Hook
5000kgs/11000lbs



TSFH-2009
Forged Eye hook
5000kgs/11000lbs



TSFH-2010
2" Trailer Hook
20000kgs/44000lbs



TSFH-2011
TRAILER HOOK
20000kgs/44000lbs



TSFH-2012
Forged Trailer Hook
25000kgs/55000lbs

FORGED HOOK



TSFH-2013
Forged Net Hook
2500kgs/5500lbs



TSFH-2014
Tow Hook with D Ring
3300KGS/7260lbs



TSFH-2015
Forged J hook
4000kgs/8800lbs




TSFH-2016
2" Forged Flat Hook
5000kgs/11000lbs



TSFH-2017
Lashing ring,
5000kgs/11000lbs



TSFH-2018
Screw pin chain shackle



FLAT HOOK



TSFL-3001
Forged Safety Hook
5500kgs/12100lbs



TSFL-3002
Forged Eye hook
3500kgs/7700lbs



TSFL-3003
Forged Eye hook
5000kgs/11000lbs



TSFL-3004
Forged Eye hook
3000kgs/6600lbs



TSFL-3005
Forged Flat Hook
5000kgs/11000lbs




TSFL-3006
Forged Eye hook
5000kgs/11000lbs



TSFL-3007
Forged Trailer Hook
25000kgs/55000lbs



TSFL-3008
Forged Net Hook
2500kgs/5500lbs



TSFL-3009
Tow Hook with D Ring
3300KGS/7260lbs



TSFL-3010
Forged Flat Hook
5000kgs/11000lbs



TSFL-3011
Forged eye Hook
1000kgs/2200lbs



TSFL-3012
3"Delta Ring
8200kgs/18000lbs

FLAT HOOK



TSFL-3013
3"Delta Ring
8200kgs/18000lbs



TSFL-3014
1"X2"Forged Rectangle
Ring 3000kgs/6600lbs




TSFL-3015
Forged Double D Ring
3000kgs/6600lbs



TSFL-3016
1 3/4"Wire Buckle
4000kgs/8800lbs




WIRE HOOK




MODEL	A	B	C	BS (KGS)
TSD-4001	25.4	33	6.5	3000
TSD-4002	37.6	39	5.5	/
TSD-4003	60	48	10	4000
TSD-4004	53	48	10	4800
TSD-4005	51.3	47.3	6.5	2300
TSD-4006	25	22	6.5	/
TSD-4007	40.5	39.5	6.5	2500
TSD-4008	26	30.5	6.5	/
TSD-4009	50.8	39	5.5	/
TSD-4010	47.5	41.2	6.5	1820
TSD-4011	38	35	9	3000
TSD-4012	27	41.3	6.5	1361
TSD-4013	51	42.99	8	3000

WIRE HOOK




MODEL	A	B	C	D	E	BS (KGS)
TSD-4021	108	76	32	20	121	10000
TSD-4022	75	51	24	20	84.6	5000
TSD-4023	74	50.5	24	20	107	5000
TSD-4024	72	48	24	20	81	5000
TSD-4025	67	47	20	23	81.5	3000
TSD-4026	68.6	54	14.6	25	69	1500
TSD-4027	62	48	14	26	76	1500
TSD-4028	43	27	16	20	78	1500
TSD-4029	42	30	13	10	49.5	1600
TSD-4030	40	26	14	10	47	1600
TSD-4031	42	29	13	10	60	1000




MODEL	A	B	C	D	BS (KGS)
TSD-4032	52	115	13	24	5500
TSD-4033	37	965	9	16	2000


WIRE HOOK




MODEL	A	B	BS (KGS)
TSD-4041	51.5	10	4563
TSD-4042	76	8	1200
TSD-4043	51	8	2500
TSD-4044	51	6	700
TSD-4045	50	6.5	2270



MODEL	A	B	C	D	BS (KGS)
TSD-4051	52	57	12	15	5000
TSD-4052	53	72	12	16	5000
TSD-4053	40	55	10	17	3300
TSD-4054	128	85.3	12	34	4000




MODEL	A	B	C	BS (KGS)
TSD-4055	52	41.5	9.5	3000
TSD-4056	53	37	10	3000
TSD-4057	55	36.2	10	3000
TSD-4058	38	56	12	2500




MODEL	A	B	C	D	E	BS (KGS)
TSD-4061	50	70	25	8.5	17	5000
TSD-4062	27	68	24	6.5	13	3000
TSD-4063	25	52	25	6.5	13	817


WIRE HOOK




MODEL	A	B	C	D	E	F	BS (KGS)
TSD-4064	67	41	13	18	88	110	3000
TSD-4065	82	52	15	19	137	165	5000



MODEL	A	B	C	D	BS (KGS)
TSD-4066	50	83	19	13	3000
TSD-4067	50	80	19	16	5000



MODEL	A	B	C	D	BS (KGS)
TSD-4071	25	120	34	9.5	1000
TSD-4072	24.5	106	30	8.5	900
TSD-4073	25	106	26	7	600
TSD-4074	27	121	29.5	10	1200



MODEL	A	B	C	D	BS (KGS)
TSD-4075	25	120	34	9.5	1000
TSD-4076	24.5	106	30	8.5	900
TSD-4077	25	106	26	7	600
TSD-4078	27	121	29.5	10	1200



MODEL

TSD-4081



MODEL

TSD-4082

PAN FITTINGS



TSPF-5001
Rectangle Floor Pan Fitting Square Hole, 2720kgs/6000lbs



TSPF-5002
Rectangle Floor Pan Fitting Round Hole 2720kgs/6000lbs



TSPF-5003
Recessed Pan Fitting, 2270kgs/5000lbs



TSPF-5004
Surfaced Mounted D-Ring, 6000kgs/13200lbs



TSPF-5005
Recessed Rotating Rope Ring-Bolt on or Weld-on, 1360kgs/3000lbs



TSPF-5006
Recessed Rope Ring with D ring 545kgs/1200lbs



TSPF-5007
Stainless Steel Recessed Rope Ring 545kgs/1200lbs

PAN FITTINGS



TSPF-5008
Recessed Pan Fiting 300kgs/660lbs



TSPF-5009
Recessed Rope Ring 545kgs/1200lbs



TSPF-5010
Surface Mounted Rope Ring, 545kgs/1200lbs



TSPF-5011
Surfaced Mounted D Ring 545kgs/1200lbs



TSPF-5012
Forged D ring



TSPF-5013
Welded Mounted D Ring 1360kgs/3000lbs

MODEL	A	B	C	BS (KGS)
TSPF-5014	25.4	33	6.5	3000
TSPF-5014	25	22	6.5	/
TSPF-5014	26	30.5	6.5	/
TSPF-5014	27	41.3	6.5	1361



TSPF-5014

CARGO BAR



TSCB-6001



TSCB-6002



TSCB-6003



TSCB-6004



TSCB-6005



TSCB-6006



TSCB-6007



TSCB-6008



TSCB-6009



TSCB-6010

CARGO BAR



TSCB-6011
Ratchet Body For Cargo Load Bar



TSCB-6012
Ratchet Body For Cargo Load Bar

Model	Rack&Housing&Pads Type	Tube Material	Tube Dia.	Adjustable
TSCB-6001	TSCB-6001&4*4 Rubber Pads	Steel Tube	38mm	From 2350 TO 2720mm,no spring
TSCB-6002	TSCB-6002&2*4 Rubber Pads	Alu Tube	38mm	From 2260 TO 2630mm,no spring
TSCB-6003	TSCB-6003&2*4 Rubber Pads	Steel Tube	38mm	From 2260 TO 2630mm,no spring
TSCB-6004	TSCB-6004&2*4 Plastic Pads	Steel Tube	38mm	From 2260 TO 2630mm,no spring
TSCB-6005	TSCB-6005&4*4 Rubber Pads	Steel Tube	38mm	From 2260 TO 2630mm,no spring
TSCB-6006	TSCB-6006&2*4 Plastic Pads	Steel Tube	38mm	From 2300 TO 2670mm,no spring
TSCB-6007	TSCB-6007&2*4 Plastic Pads	Steel Tube	38mm	From 2260 TO 2630mm,with Spring
TSCB-6008	TSCB-6008&2*4 Plastic Pads	Steel Tube	38mm	From 2260 TO 2630mm,with Spring
TSCB-6009	TSCB-6009&2*4 Plastic Pads	Steel Tube	42mm	From 2350 TO 2720mm,with spring
TSCB-6010	TSCB-6010&2*4 Plastic Pads	Alu Tube	42mm	From 2350 TO 2720mm,with spring
TSCB-6011	TSCB-6011&2*4 Plastic Pads	Steel Tube	38mm	From 2566 TO 2935mm,with Spring
TSCB-6012	TSCB-6012&2*4 Plastic Pads	Alu Tube	42mm	From 2566 TO 2935mm,with Spring

CARGO BAR PAD



TSCBP-7001
2X4"Rubber Foot for
Large and Small Tube
Bolt On



TSCBP-7002
4X4"Rubber Foot for
Large and Small Tube
Bolt On



TSCBP-7003
4"X4"Rubber Foot for
Large and Small Tube
Bolt On



TSCBP-7004
4"X4"Rubber
Domino'sFoot Pad
Bolt On



TSCBP-7005
2X4"Rubber Foot for
Large and Small Tube
Bolt On



TSCBP-7006
2'X4"Pad(Plastic)



TSCBP-7007
2'X4"Pad(Plastic)



TSCBP-7008
2'X4"Rubber
Lugged Foot Tube
Bolt On



TSCBP-7009
4"X4"Rubber Foot
Pad Weld On



TSCBP-7010
4"X4"Rubber Foot
Pad Weld On



TSCBP-7011
Plastic Foot Pad



TSCBP-7012
2"X4"Plastic Foot For
Small and Large Tube
Bolt On

ALUMINUM RAMP




TSAR01



TSAR02



TSAR03



TSAR04



TSAR05-A



TSAR05-M



TSAR06



TSAR07



TSAR08

Contact us

Tormays have innovative scientific mainstay, skilled workers and experienced sales team, and meticulous and thoughtful after-sales service, we are committed to provide high quality products and satisfying service to our customers. Facing the opportunities and challenges brought by economic globalization, our company will stay true to our culture and belief all the time, and create more value to our customers.